




## HYDRAULIC PRESSURIZED RING EXPANSION FIXTURE WITH POWER PACK



**Model No.**  
ASTM.A0370.31

**Specimen Size**  
6"-10" Diameter

**Construction**  
High strength steel

**Temperature**  
-120 to 250°F (-85 to 120°C)

Fixture:	Mounting	3" -12 threaded couplings
	Capacity	5,000 lbs
	Weight	50 lbs
	Dimensions	9" diameter x 9.5"
	Standard	Manufactured in accordance with ASTM A370

**QUOTE**

Model No. ASTM.A0370.31 - Hydraulic Pressurized Ring Expansion Fixture with Power Pack.

Test fixture is a split disk type with hydraulic ram accuator for one size pipe from 6" to 10". Capacity of 5,000 lbs.

Other boot types and split disk types are quoted based on specimen size, capacity, number of tests, etc. Constructed of high strength steel with a protective finish in accordance with ASTM A370.

**ACCESSORIES**

No accessories available at this time

## **SPARE PARTS**

Please contact us for spare or replacement parts

## **COMMON SIZE ADAPTERS**

### **Upper and Lower Mounting: 3"-12 Female Coupling**

S301206 - 3" -12 x 6" Long Fatigue Rated Stud

LN79 - 3" -12 Threaded Locking Nut with Knurled OD