

Standards:

ASTM D5528 - 13
ASTM D6115 - 19
ASTM D6671 - 06
ISO 15024 -


Material Type:

COMPOSITE, ADHESIVE

Type of Testing:

TENSILE

5 SETS OF STAINLESS STEEL PIANO HINGES



Model No.

ASTM.D5528.10
ASTM.D6115.10
ASTM.D6671.20
ISOS.15024.10

Specimen Size or Difference Between Fixtures

See below
See below
See below
See below

Construction

Stainless steel
Stainless steel
Stainless steel
Stainless steel

Temperature

-240 to 600°F (-152 to 318°C)
-240 to 600°F (-152 to 318°C)
-240 to 600°F (-152 to 318°C)
-240 to 600°F (-152 to 318°C)

Specimen: Width Up to 1" (25.4mm)
Thickness 0.118" to 0.197 (3 to 5mm)
Length 5" (127mm)

Fixture: Mounting Grips (grips not included)
Capacity 200 lbs
Weight 1 lbs approximately
Dimensions 1.5" x 1.25" x 1.5" when bonded to specimen
Standard Manufactured in compliance with ASTM D5528, D6115, D6671 and ISO 15024

QUOTE

Model No. ASTM.D5528.10 - 5 Sets of (2) Stainless Steel Piano Hinges

5 Sets of (2) Hinges for Mode I Interlaminar Fracture Toughness Test. Stainless steel hinges manufactured in compliance with ASTM D5528, D6115, D6671 and ISO 15024.

ACCESSORIES

Model No. GRIP.10100.20 - 200 LBS Screw Action Grips with 1" Square Grip Faces

Grips come with 1/2"-20 threaded studs for mounting purposes.

SPARE PARTS

Please contact us for spare or replacement parts

COMMON SIZE ADAPTERS

Screw Action Grips Mounting: 1/2"-20 Stud and Locking Nut

Model No. M01C21 - 1/2" Male Clevis to 1/2"-20 Coupling

Model No. M02C21 - 5/8" Male Clevis to 1/2"-20 Coupling

Model No. M03C21 - 1.25" Male Clevis to 1/2"-20 Coupling

Model No. M12C21 - 12mm Male Clevis to 1/2"-20 Coupling

Model No. S36C21 - 1"-14 Stud to 1/2"-20 Coupling

EXTRA PHOTOS:

